

2013 Spare Parts & Tools

ROAD WHEELS

ALUMINIUM WHEELS

RACING ZERO	2
RACING 1	8
RACING 3	12
RACING QUATTRO	16
RACING 5	18
RACING 7	20

ALU/CARBON WHEELS

RED WIND™ XLR	22
RED WIND™ XLR 80mm	26
RED WIND™ XLR 105mm	30
RED WIND™	34
RED WIND™ 80mm	37

CARBON WHEELS

RACING LIGHT™ XLR	40
RACING SPEED™ XLR	44
RACING SPEED™ XLR 80mm	46
RACING SPEED™	48

CHRONO WHEELS

RACING CHRONO™	50
----------------	----

CRANKSETS

RACING TORQ™ RRS	52
RACING TORQ™ RS	54
RACING TORQ™ R	56

TOOLS

68

CYCLOCROSS WHEELS

RED WIND™ XLR CX	58
RACING QUATTRO CX	60
RACING 5 CX	62
RACING 7 CX	64

OFF-ROAD WHEELS

XC/MARATHON/ 26" ALL MOUNTAIN

RED CARBON™ XRP	72
RED METAL ZERO™ XRP	76
RED METAL™ 1 XL	80
RED METAL™ 3	86
RED POWER™ XL	92
RED POWER™ SL	100

29" RED METAL™ 29 XRP	104
RED METAL™ 29 XL	108
RED POWER™ 29 XL	110
RED POWER™ 29 SL	114

FREERIDE/ ENDURO/DH

RED ZONE™ XLR	118
RED ZONE™	124
RED FIRE™	126
RED HEAT™	128

ADAPTERS & TOOLS


130

SALES & SERVICE

139

RACING ZERO™ 2-WAY FIT


RIMS & SPOKES/CERCHI E RAGGI

RIM		
	FRONT	FRONT RIM
	REAR	REAR RIM
		LABEL KIT
		VALVE HOLE
		2-Way Fit VALVE™
		VALVE HOLE BUSHING
		DIAMETER
		TYRE SECTION
		ROF-2RB11 (no labels)
		ROR-2RB11 (no labels)
		RO-LAB132B (front+rear)
		6,5 mm
		M1-102
		5-RO-014 (for valve seat reduction - 5 pcs)
		634 mm
		See recommended tyre manufacturer inflation pressure

SPOKES		
COMPLETE FRONT KIT	ROF-SKB01	16 front spokes
	ROR-SKB11	14 rear right spokes + 7 rear left spokes
COMPLETE REAR KIT	ROF-SB01	spoke + nipple
COMPLETE FRONT	RO-018	spoke + nipple
COMPLETE REAR RIGHT SPOKE	ROR-SB01	spoke + nipple
COMPLETE REAR LEFT SPOKE	10-RO-015	10 pcs
NIPPLES	T-02	anti-rotation
SPOKE RING	T-03	magnet-attractor for nipple
NIPPLE INSERT	T-05	nipple-guide
NIPPLE MAGNET	T-07	spoke wrench
SPOKE SPANNER		


RACING ZERO™ 2-WAY FIT

HUBS/MOZZI/MOYEUX



RACING ZERO™ CLINCHER


RIMS & SPOKES/CERCHI E RAGGI

RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE DIAMETER TYRE SECTION	ROF-CRB11 (no labels) ROR-CRB11 (no labels) RO-LAB13CB (front+rear) - RO-LAB13CBDK (front+rear DARK) 6,5 mm 622 X 15C See section table and inflation pressures on page 66

SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT COMPLETE FRONT COMPLETE REAR RIGHT SPOKE COMPLETE REAR LEFT SPOKE NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	ROF-SKB01 ROR-SKB11 ROF-SB01 RO-018 ROR-SB01 10-RO-015 T-02 T-03 T-05 T-07	16 front spokes 14 rear right spokes + 7 rear left spokes spoke + nipple spoke + nipple spoke + nipple 10 pcs anti-rotation magnet-attractor for nipple nipple-guide spoke wrench

RACING ZERO™ CLINCHER

HUBS/MOZZI/MOYEUX



RACING ZERO™ TUBULAR


RIMS & SPOKES/CERCHI E RAGGI

RIM		
FRONT	REAR	FRONT RIM REAR RIM LABEL KIT VALVE HOLE DIAMETER TYRE SECTION
20,5	20,5	
26,5	30,5	
		ROF-TRB11 (no labels) ROR-TRB11 (no labels) RO-LAB13TRB (front+rear) 6,5 mm 634 mm See recommended tyre manufacturer inflation pressure

SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT COMPLETE FRONT COMPLETE REAR RIGHT SPOKE COMPLETE REAR LEFT SPOKE NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	ROF-SKB01 ROR-SKB11 ROF-SB01 RO-018 ROR-SB01 10-RO-015 T-02 T-03 T-05 T-07	16 front spokes 14 rear right spokes + 7 rear left spokes spoke + nipple spoke + nipple spoke + nipple 10 pcs anti-rotation magnet-attractor for nipple nipple-guide spoke wrench


RACING ZERO™ TUBULAR

HUBS/MOZZI/MOYEUX



RACING 1™ 2-WAY FIT


RIMS & SPOKES/CERCHI E RAGGI

RIM		
		
FRONT 20,5 25	REAR 20,5 30	
FRONT RIM REAR RIM LABEL KIT VALVE HOLE 2-Way Fit VALVE™ VALVE HOLE BUSHING DIAMETER TYRE SECTION		R0F-2RB11 (no labels) R0R-2RB11 (no labels) R1-LAB132B (front+rear) 6,5 mm M1-102 5-R0-014 (for valve seat reduction - 5 pcs) 634 mm See recommended tyre manufacturer inflation pressure

SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT COMPLETE FRONT COMPLETE REAR RIGHT SPOKE COMPLETE REAR LEFT SPOKE NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	R0F-SKB01 R0R-SKB11 R0F-SB01 R0-018 R0R-SB01 10-R0-015 T-02 T-03 T-05 T-07	16 front spokes 14 rear right spokes + 7 rear left spokes spoke + nipple spoke + nipple spoke + nipple 10 pcs anti-rotation magnet-attractor for nipple nipple-guide spoke wrench


RACING 1™ 2-WAY FIT

HUBS/MOZZI/MOYEUX



RACING 1™ CLINCHER


RIMS & SPOKES/CERCHI E RAGGI

RIM		
		
FRONT 20,5 25	REAR 20,5 30	
FRONT RIM REAR RIM LABEL KIT VALVE HOLE DIAMETER TYRE SECTION		R0F-CRB11 (no labels) R0R-CRB11 (no labels)) R1-LAB13CB (front+rear) 6,5 mm 622 X 15C See section table and inflation pressures on page 66

SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT COMPLETE FRONT COMPLETE REAR RIGHT SPOKE COMPLETE REAR LEFT SPOKE NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	R0F-SKB01 R0R-SKB11 R0F-SB01 R0-018 R0R-SB01 10-R0-015 T-02 T-03 T-05 T-07	16 front spokes 14 rear right spokes + 7 rear left spokes spoke + nipple spoke + nipple spoke + nipple 10 pcs anti-rotation magnet-attractor for nipple nipple-guide spoke wrench


RACING 1™ CLINCHER

HUBS/MOZZI/MOYEUX



RACING 3™ 2-WAY FIT


RIMS & SPOKES/CERCHI E RAGGI

RIM		
		
FRONT RIM REAR RIM LABEL KIT VALVE HOLE 2-Way Fit VALVE™ DIAMETER TYRE SECTION		R3F-2RB01 (with labels) R3R-2RB01 (with labels) R3-LAB132B (front+rear) 6,5 mm M1-102 634 mm See recommended tyre manufacturer inflation pressure

SPOKES		
COMPLETE FRONT SPOKE COMPLETE REAR RIGHT SPOKE COMPLETE REAR LEFT SPOKE NIPPLES NIPPLE INSERT NIPPLE MAGNET SPOKE RING	R3-016 R3-018 R3-019 RM3-B T-10 T-05 T-02	spoke + nipple spoke + nipple spoke + nipple 50 pcs magnet-attractor for nipple nipple-guide anti-rotation


RACING 3™ 2-WAY FIT

HUBS/MOZZI/MOYEUX



RACING 3™ CLINCHER


RIMS & SPOKES/CERCHI E RAGGI

RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE DIAMETER TYRE SECTION	R3F-CRB21 (with labels) R3R-CRB21 (with labels) R3-LAB13CB (front+rear) 6,5 mm 622 X 15C See section table and inflation pressures on page 66

SPOKES		
COMPLETE FRONT SPOKE COMPLETE REAR RIGHT SPOKE COMPLETE REAR LEFT SPOKE NIPPLES NIPPLE INSERT NIPPLE MAGNET SPOKE RING	R3-016 R3-018 R3-019 RM3-B T-10 T-05 T-02	spoke + nipple spoke + nipple spoke + nipple 50 pcs magnet-attractor for nipple nipple-guide anti-rotation


RACING 3™ CLINCHER

HUBS/MOZZI/MOYEUX



RACING QUATTRO™ CLINCHER


RIMS & SPOKES/CERCHI E RAGGI

RIM 	LABEL KIT VALVE HOLE DIAMETER TYRE SECTION	R4-LAB13CB (front+rear) 6,5 mm 622 X 15C See section table and inflation pressures on page 66
---	---	--

SPOKES FRONT SPOKE REAR RIGHT SPOKE REAR LEFT SPOKE	R4-016 R4-018 R4-019	4 pcs 4 pcs 4 pcs
---	----------------------------	-------------------------


RACING QUATTRO™ CLINCHER

HUBS/MOZZI/MOYEUX




RACING 5™ CLINCHER

RIMS & SPOKES/CERCHI E RAGGI

RIM		
	RIM-TAPE LABEL KIT VALVE HOLE DIAMETER TYRE SECTION	2-RL-RT (18 mm - 2 pcs) R5-LAB13CB (front+rear) 6,5 mm 622 X 15C See section table and inflation pressures on page 66
SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES	R5F-SKB02 R5R-SKB02 R5-MKB02 50-R3-N	18 front spokes + 2 balancing spokes + 20 nipples 14 rear right spokes + 8 rear left spokes + 2 rear right balancing spokes + 24 nipples 2 front spokes + 2 rear right spokes + 1 rear left spoke + 5 nipples 50 pcs


RACING 5™ CLINCHER

HUBS/MOZZI/MOYEUX




RACING 7™ CLINCHER

RIMS & SPOKES/CERCHI E RAGGI

RIM		
	RIM-TAPE LABEL KIT VALVE HOLE DIAMETER TYRE SECTION	2-RL-RT (18 mm - 2 pcs) R7-LAB13CB (front+rear) 6,5 mm 622 X 15C See section table and inflation pressures on page 66
SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES	R7F-SKB01 R7R-SKB01 R7-MKB01 50-R3-N	20 front spokes + 20 nipples 16 rear right spokes + 8 rear left spokes + 24 nipples 2 front spokes + 2 rear right spokes + 1 rear left spoke + 5 nipples 50 pcs

RACING 7™ CLINCHER

HUBS/MOZZI



RED WIND XLR™ CLINCHER - H50

RIMS & SPOKES/CERCHI E RAGGI

RIM

	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE	RWXF-CR (no labels) RWXR-CR (no labels) RWX-LAB13 (front+rear) - RWX-LAB13DK (front+rear DARK) 6,5 mm T-15M (male valve extension) - T-15F (female valve extension) 700C (622 x 15C) See section table and inflation pressures on page 66
--	---	---


SPOKES

COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER SPOKE RING	RWXF-SK RWXR-SK RWX-MK RWX-B T-11 T-05 T-18 T-02	18 front spokes + 18 nipples 14 rear right spokes + 7 rear left spokes + 21 nipples 2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nipples black - 10 pcs magnet-attractor for nipple nipple-guide spoke wrench anti-rotation
---	---	---

RED WIND XLR™ CLINCHER - H50

standard
bearings




HUBS/MOZZI



RED WIND XLR™ CLINCHER - H50

USB™
bearings




HUBS/MOZZI



RED WIND XLR™ CLINCHER - H50

CULT™
bearings


HUBS/MOZZI



**RS-200
HUB KIT**
2 x R1-005
2 x RS-006
2 x RS-014
2 x RS-111

RED WIND XLR™ CLINCHER - H80


RIMS & SPOKES/CERCHI E RAGGI

RIM 	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE	RWXF-CR80 (no labels) RWXR-CR80 (no labels) RWX-LAB1380 (front+rear) - RWX-LAB1380DK (front+rear DARK) 6,5 mm T-16M (male valve extension) - T-16F (female valve extension) 700C (622 x 15C) See section table and inflation pressures on page 66
SPOKES COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER SPOKE RING	RWXF-SK80 RWXR-SK80 RWX-MK80 RWX-B T-11 T-05 T-18 T-02	16 front spokes + 16 nipples 12 rear right spokes + 6 rear left spokes + 18 nipples 2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nipples black - 10 pcs magnet-attractor for nipple nipple-guide spoke wrench anti-rotation

RED WIND XLR™ CLINCHER - H80

standard
bearings



HUBS/MOZZI



RED WIND XLR™ CLINCHER - H80

USB™
bearings



HUBS/MOZZI



RED WIND XLR™ CLINCHER - H80

CULT™
bearings


HUBS/MOZZI



**RS-200
HUB KIT**
2 x R1-005
2 x RS-006
2 x RS-014
2 x RS-111

RED WIND XLR™ CLINCHER - H105


RIMS & SPOKES/CERCHI E RAGGI

RIM 	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE	RWXF-CR105 (no labels) RWXR-CR105 (no labels) RWX-LAB13105 (front+rear) - RWX-LAB13105DK (front+rear DARK) 6,5 mm T-17M (male valve extension) - T-17F (female valve extension) 700C (622 x 15C) See section table and inflation pressures on page 4
SPOKES COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RWXF-SK105 RWXR-SK105 RWX-MK105 RWX-B T-11 T-05 T-18	16 front spokes + 16 nipples 12 rear right spokes + 6 rear left spokes + 18 nipples 2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nipples black - 10 pcs magnet-attractor for nipple nipple-guide spoke wrench

RED WIND XLR™ CLINCHER - H105

standard
bearings


HUBS/MOZZI



RED WIND XLR™ CLINCHER - H105

USB™
bearings


HUBS/MOZZI



RED WIND XLR™ CLINCHER - H105


CULT™
bearings

HUBS/MOZZI



RED WIND™ CLINCHER - H50


RIMS & SPOKES/CERCHI E RAGGI

RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE	RWXF-CR (no labels) RWXR-CR (no labels) RWI-LAB12 (front+rear) 6,5 mm T-15M (male valve extension) - T-15F (female valve extension) 700C (622 x 15C) See section table and inflation pressures on page 66
SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER SPOKE RING	RWIF-SK RWIR-SK RWI-MK RWI-B T-11 T-05 T-18 T-02	18 front spokes + 18 nipples 14 rear right spokes + 7 rear left spokes + 21 nipples 2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nipples 10 pcs magnet-attractor for nipple nipple-guide spoke wrench anti-rotation

RED WIND™ CLINCHER - H50

standard
bearings


HUBS/MOZZI



RED WIND™ CLINCHER - H50

HUBS/MOZZI

USB™
bearings



RED WIND™ CLINCHER - H80

RIMS & SPOKES/CERCHI E RAGGI

RIM

	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE	RWXF-CR80 (no labels) RWXR-CR80 (no labels) RWI-LAB1280 (front+rear) 6,5 mm T-16M (male valve extension) - T-16F (female valve extension) 700C (622 x 15C) See section table and inflation pressures on page 66
--	---	---


SPOKES

COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER SPOKE RING	RWIF-SK80 RWIR-SK80 RWI-MK80 RWI-B T-11 T-05 T-18 T-02	16 front spokes + 16 nipples 12 rear right spokes + 6 rear left spokes + 18 nipples 2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nipples 10 pcs magnet-attractor for nipple nipple-guide spoke wrench anti-rotation
---	---	---

RED WIND™ CLINCHER - H80

HUBS/MOZZI


standard
bearings



RED WIND™ CLINCHER - H80


HUBS/MOZZI

USB™
bearings




RACING LIGHT™ XLR clincher

RIMS & SPOKES/CERCHI E RAGGI

RIM		
	FRONT RIM REAR RIM RIM-TAPE LABEL KIT VALVE HOLE DIAMETER TYRE SECTION BRAKE SHOES CLINCHER REMOVAL LEVER	RLF-CRK01 (with labels) RLR-CRK01 (with labels) 2-RL-RT (16 mm - 2 pcs) RL-LAB9C (for a pair of front+rear wheels) 6,5 mm 622 X 13C See section table and inflation pressures on page 66 for carbon rims - BR-BO500 (for Campagnolo brakes) - BR-BO500X (for Shimano brakes) WH-109HYC (6 pcs.)
SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NUTS FRONT NUT SUPP. PLATES REAR NUT SUPP. PLATES	RLF-SK RLR-SK01 RL-MK01 RS-B RL-CF RL-CR	22 front/rear left spokes + 22 nuts + 22 front nut supporting plates 16 rear right spokes + 8 front/rear left spokes + 24 nuts + 24 rear nut supporting plates 3 front/rear left spokes + 2 rear right spokes + 5 nuts + 2 front nut supp. plates + 3 rear nut supp. plates 10 pcs 10 pcs 10 pcs

RACING LIGHT™ XLR clincher


HUBS/MOZZI



**RS-200
CULT™ KIT**
2 x R1-005
2 x RS-006
2 x RS-014
2 x RS-111


RACING LIGHT™ XLR tubular

RIMS & SPOKES/CERCHI E RAGGI

RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE DIAMETER TYRE SECTION BRAKE SHOES	RLF-TRK01 (with labels) RLR-TRK01 (with labels) RL-LAB9T (for a pair of front+rear wheels) 6,5 mm 634 mm See recommended tyre manufacturer inflation pressure for carbon rims - BR-BO500 (for Campagnolo brakes) - BR-BO500X (for Shimano brakes)
SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NUTS Nut supporting plates	RLF-TSK01 RLR-TSK01 RL-TMK01 RS-B RL-CF	22 front/rear left spokes + 22 nuts + 22 front nut supporting plates 16 rear right spokes + 8 front/rear left spokes + 24 nuts + 24 rear nut supporting plates 3 front /rear left spokes + 2 rear right spokes + 5 nuts + 5 nut supporting plates 10 pcs 10 pcs


RACING LIGHT™ XLR tubular

HUBS/MOZZI



RACING SPEED™ XLR tubular

RIMS & SPOKES/CERCHI E RAGGI

	FRONT RIM	RSF-TRK11 (no labels)
	REAR RIM	RSR-TRK11 (no labels)
	LABEL KIT	RS-LAB9T (front+rear) - RS-LAB12TDK (DARK front+rear)
	VALVE HOLE	6,5 mm
	VALVE EXTENSION	T-08
	DIAMETER	634 mm
	TYRE	See recommended tyre manufacturer inflation pressure / vedi pressione di gonfiaggio consigliata dal produttore del pneumatico
	BRAKE SHOES	for carbon rims - BR-BO500 (for Campagnolo brakes) - BR-BO500X (for Shimano brakes)

SPOKES


COMPLETE FRONT KIT	RSF-SK	18 front spokes + 18 nuts + 18 nut supporting plates
COMPLETE REAR KIT	RSR-SK01	14 rear right spokes + 7 rear left spokes + 21 nuts + 21 nut supporting plates
MINI-KIT	RS-MK01	2 front spokes + 2 rear right spokes + 1 rear left spokes + 5 nuts + 5 nut supporting plates
NUTS	RS-B	10 pcs
NUT SUPPORTING PLATES	RS-C	10 pcs

! WARNING!

Because of the high temperatures reached when breaking, we recommend you use only glue for tubular tires specifically for carbon fibre rims.
A causa delle alte temperature raggiunte in frenata, vi consigliamo di utilizzare solamente colla per tubolari che sia specifica per i soli cerchi in fibra di carbonio.


RACING SPEED™ XLR tubular

HUBS/MOZZI



RACING SPEED™ XLR 80 tubular

RIMS & SPOKES/CERCHI E RAGGI

RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE BRAKE SHOES	RSF-TRK80 (no labels) RSR-TRK80 (no labels) RS-LAB12TK80 (front+rear) - RS-LAB12TK80DK (front+rear DARK) 6,5 mm T-19M (male valve extension) - T-19F (female valve extension) 634 mm See recommended tyre manufacturer inflation pressure for carbon rims - BR-BO500 (for Campagnolo brakes) - BR-BO500X (for Shimano brakes)

SPOKES


FRONT SPOKE REAR RIGHT SPOKE REAR LEFT SPOKE NIPPLES NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RS-01680 RS-01880 RS-01980 RWX-B T-11 T-05 T-18	4 pcs 4 pcs 4 pcs black - 10 pcs magnet-attractor for nipple nipple-guide spoke wrench
--	---	--

! WARNING!

Because of the high temperatures reached when breaking, we recommend you use only glue for tubular tires specifically for carbon fibre rims.
A causa delle alte temperature raggiunte in frenata, vi consigliamo di utilizzare solamente colla per tubolari che sia specifica per i soli cerchi in fibra di carbonio.


RACING SPEED™ XLR 80 tubular

HUBS/MOZZI



RACING SPEED™ tubular

RIMS & SPOKES/CERCHI E RAGGI


RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE BRAKE SHOES	RSF-TRK11 (no labels) RSR-TRK11 (no labels) RS-LAB10TAK (front+rear) - RS-LAB12TAKDK (front+rear DARK) 6,5 mm T-08 634 mm See recommended tyre manufacturer inflation pressure for carbon rims - BR-BO500 (for Campagnolo brakes) - BR-BO500X (for Shimano brakes)
SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NUTS NUT SUPPORTING PLATES	RSF-SK02 RSR-SK02 RS-MK02 RS-B RS-C	18 front spokes + 18 nuts + 18 nut supporting plates 14 rear right spokes + 7 rear left spokes + 21 nuts + 21 nut supporting plates 2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supporting plates



WARNING!
Because of the high temperatures reached when breaking, we recommend you use only glue for tubular tires specifically for carbon fibre rims.
A causa delle alte temperature raggiunte in frenata, vi consigliamo di utilizzare solamente colla per tubolari che sia specifica per i soli cerchi in fibra di carbonio.

RACING SPEED™ tubular

HUBS/MOZZI




RACING CHRONO™ tubular

RIM & HUB / CERCHIO E MOZZO

RIM	disc profile tensile-structure in aramidic fibre braking surface in aluminium
TYRE	See recommended tyre manufacturer inflation pressure

HUB



QUICK RELEASE




2-Way Fit™ WHEELS				
RACING ZERO			R1-QFR	
RACING 1			R1-QFR	
RACING 3			R1-QFR	
CLINCHER/TUBULAR WHEELS				
RACING ZERO			R1-QFR	
RACING 1			R1-QFR	
RACING 3		R3-QFR12		
RACING QUATTRO		R3-QFR12		
RACING 5	R5-QFR02			
RACING 7	R5-QFR02			
RACING CHRONO™				RWX-QFR12
ALU/CARBON WHEELS				
RED WIND™ XLR				RWX-QFR12
RED WIND™ XLR 80 mm				RWX-QFR12
RED WIND™ XLR 105 mm				RWX-QFR12
RED WIND™		R3-QFR12		
RED WIND™ 80 mm		R3-QFR12		
CARBON WHEELS				
RACING LIGHT™ XLR				RWX-QFR12
RACING SPEED™ XLR				RWX-QFR12
RACING SPEED™ XLR 80				RWX-QFR12
RACING SPEED™				RWX-QFR12

RACING TORQ™ RRS

CARBON CRANKSET


B	170 mm	CC-RRS451
	172,5 mm	CC-RRS453
	175 mm	CC-RRS455
C	Z39	CC-RRS039
D	Z52 for 39	CC-RRS052
	Z53 for 39	CC-RRS053



RACING TORQ™ RRS CT

CARBON CRANKSET


B	170 mm	CC-RRS451
	172,5 mm	CC-RRS453
	175 mm	CC-RRS455
C	Z34	CC-RRS034
D	Z50 for 34	CC-RRS050



RACING TORQ™ RS

CARBON CRANKSET


B	170 mm	CC-RS401
	172,5 mm	CC-RS403
	175 mm	CC-RS405
C	Z39	CC-RS039
D	Z52 for 39	CC-RS052
	Z53 for 39	CC-RS053



RACING TORQ™ RS CT

CARBON CRANKSET


B	170 mm	CC-RS401
	172,5 mm	CC-RS403
	175 mm	CC-RS405
C	Z34	CC-RS034
D	Z50 for 34	CC-RS050



RACING TORQ™ R

CARBON CRANKSET


B	170 mm	CC-R421
	172,5 mm	CC-R423
	175 mm	CC-R425
C	Z39	CC-R039
D	Z52 for 39	CC-R052
	Z53 for 39	CC-R053



RACING TORQ™ R CT


CARBON CRANKSET

B	170 mm	CC-R421
	172,5 mm	CC-R423
	175 mm	CC-R425
C	Z34	CC-R034
D	Z50 for 34	CC-R050




RED WIND™ XLR CX CLINCHER

RIMS & SPOKES/CERCHI E RAGGI

RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE EXTENSION DIAMETER TYRE	RWXF-CR (no labels) RWXR-CR (no labels) RWX-LAB13 (front+rear) - RWX-LAB13DK (front+rear DARK) 6,5 mm T-15M (male valve extension) - T-15F (female valve extension) 700C (622 x 15C) See section table and inflation pressures on page 66
SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RWXF-SK RWXR-SK RWX-MK RWX-B T-02 T-11 T-05 T-18	18 front spokes + 18 nuts + 18 nut supporting plates 14 rear right spokes + 7 rear left spokes + 21 nuts + 21 nut supporting plates 2 front spokes + 2 rear right spokes + 2 rear left spokes + 6 nuts + 6 nut supp. plates black - 10 pcs anti-rotation magnet-attractor for nipple nipple-guide spoke wrench


RED WIND™ XLR CX CLINCHER

HUBS/MOZZI




RACING QUATTRO CX CLINCHER

RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE DIAMETER TYRE SECTION	R4-LAB13CXB (front+rear) 6,5 mm 622 X 15C See section table and inflation pressures on page 66
SPOKES		
FRONT SPOKE	R4-016	4 pcs
REAR RIGHT SPOKE	R4-018	4 pcs
REAR LEFT SPOKE	R4-019	4 pcs


RACING QUATTRO CX CLINCHER

HUBS/MOZZI/MOYEUX




RACING 5™ CX CLINCHER

RIMS & SPOKES/CERCHI E RAGGI

RIM 	RIM-TAPE LABEL KIT VALVE HOLE DIAMETER TYRE SECTION	2-RL-RT (18 mm - 2 pcs) R5-LAB13CXB (front+rear) 6,5 mm 622 X 15C See section table and inflation pressures on page 66 * These wheels are designed to mount cyclo-cross up to 35 mm tyres. We highly recommend complying with maximum pressures indicated on cyclo-cross tyres. Do no use 29" MTB tyres.
SPOKES COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES	R5F-SKW01 R5R-SKW01 R5-MKB02 50-R3-N	18 front spokes + 2 balancing spokes + 20 nipples 14 rear right spokes + 8 rear left spokes + 2 rear left balancing spokes + 24 nipples 2 front spokes + 2 rear right spokes + 1 rear left spoke + 5 nipples 50 pcs


RACING 5™ CX CLINCHER

HUBS/MOZZI/MOYEUX




RACING 7™ CX CLINCHER

RIMS & SPOKES/CERCHI E RAGGI

RIM 	RIM-TAPE LABEL KIT VALVE HOLE DIAMETER TYRE SECTION	2-RL-RT (18 mm - 2 pcs) R7-LAB13CXB (front+rear) 6,5 mm 622 X 15C See section table and inflation pressures on page 66 * These wheels are designed to mount cyclo-cross up to 35 mm tyres. We highly recommend complying with maximum pressures indicated on cyclo-cross tyres. Do no use 29" MTB tyres.
SPOKES COMPLETE FRONT KIT COMPLETE REAR KIT MINI-KIT NIPPLES	R7F-SKB01 R7R-SKB01 R7-MKB01 50-R3-N	20 front spokes + 20 nipples 16 rear right spokes + 8 rear left spokes + 24 nipples 2 front spokes + 2 rear right spokes + 1 rear left spoke + 5 nipples 50 pcs

RACING 7™ CX CLINCHER

HUBS/MOZZI





MAXIMUM OPERATING PRESSURE


		RIM WIDTH					
		13C			15C		
		mm	in.	BAR	PSI	BAR	PSI
TYRE WIDTH	18	0,70		10,0	146		
	20	0,80		9,5	138		
	23	0,90		9,5	138	9,5	138
	25	1,00		9,0	131	9,0	131
	28	1,10				8,0	117
	30	1,20				7,0	103
	32	1,25				6,7	99
	35	1,30				6,3	93

VALVE EXTENSIONS

NOTE:
USE AIR CHAMBERS
(INNER TUBES) WITH
A LONG VALVE (AT
LEAST 35 mm).

PROFILE RIM	MALE VALVE ADAPTER (SUPPLIED)		
RED WIND/RED WIND XLR H50	T-15M	L = 35 mm	
RED WIND/RED WIND XLR H80	T-16M	L = 65 mm	
RED WIND/RED WIND XLR H105	T-17M	L = 90 mm	
RACING SPEED XLR H80	T-19M	L = 74 mm	
PROFILE RIM	FEMALE VALVE ADAPTER (OPTION)		
RED WIND/RED WIND XLR H50	T-15F	L = 37 mm	
RED WIND/RED WIND XLR H80	T-16F	L = 67 mm	
RED WIND/RED WIND XLR H105	T-17F	L = 92 mm	
RACING SPEED XLR H80	T-19F	L = 80 mm	

TOOLS			SYMBOLS KEY:	
			FULCRUM PRO-TOOLS	Tool that can be purchased from Fulcrum's dealers
			PRO-TOOLS	Professional tools that can be purchased from specialised stores (for information on where they can be purchased contact Campagnolo's Authorised Service Centres)
			USER TOOLS	Common tool available to the user
PHOTO	CODE	DESCRIPTION	CHARACTERISTICS	TOOL TYPE
	T-02	Spoke retainer ring		FULCRUM PRO-TOOLS
	T-07	Spoke wrench		FULCRUM PRO-TOOLS
	T-20	Nipple wrench for Red Carbon		FULCRUM PRO-TOOLS
	T-05	Nipple-guide magnet		FULCRUM PRO-TOOLS
	T-03	RACING 1 - RACING ZERO - RED METAL ZERO - RED CARBON magnet-attracting nipple insert		FULCRUM PRO-TOOLS
	T-04	RACING 3 magnet-attracting nipple insert		FULCRUM PRO-TOOLS
	T-10	RED METAL 1 - RED METAL 3 - RED METAL 29 XLR - RED FIRE magnet-attracting nipple insert		FULCRUM PRO-TOOLS
	WH-109HYC	Lever for removing clincher		FULCRUM PRO-TOOLS
	UT-BB130	Tool for AFS lockring and RACING TORQ cups		FULCRUM PRO-TOOLS

TOOLS			SYMBOLS KEY:	
			FULCRUM PRO-TOOLS	Tool that can be purchased from Fulcrum's dealers
			PRO-TOOLS	Professional tools that can be purchased from specialised stores (for information on where they can be purchased contact Campagnolo's Authorised Service Centres)
			USER TOOLS	Common tool available to the user
PHOTO	CODE	DESCRIPTION	CHARACTERISTICS	TOOL TYPE
	UT-BB140	Tool for RACING TORQ Os-Fit cups		FULCRUM PRO-TOOLS
	N.D.	Holder for round spokes		PRO-TOOLS
	N.D.	Nipple thread-locker		PRO-TOOLS
	N.D.	17mm dynamometric spanner	Set to close at 15 Nm (132 in.lbs)	PRO-TOOLS
	N.D.	Truing Stand		PRO-TOOLS
	N.D.	Feeler gauge centesimal	Resolution 0.01 mm	PRO-TOOLS
	N.D.	Analogue or digital tensiometer		PRO-TOOLS
	N.D.	Dishing Tool		PRO-TOOLS


TOOLS			SYMBOLS KEY:	
			FULCRUM PRO-TOOLS	Tool that can be purchased from Fulcrum's dealers
			PRO-TOOLS	Professional tools that can be purchased from specialised stores (for information on where they can be purchased contact Campagnolo's Authorised Service Centres)
			USER TOOLS	Common tool available to the user
PHOTO	CODE	DESCRIPTION	CHARACTERISTICS	TOOL TYPE
	N.D.	Professional bearing stripper	Strippers with a diameter ranging from 7 mm to 28 mm	PRO-TOOLS
	N.D.	Torque screwdriver with a 2.5mm Allen driver bit	Closure range from 1.2 Nm (11in.lbs) to 3.0 Nm (27 in.lbs)	PRO-TOOLS
	N.D.	Cup extractor for road hubs		PRO-TOOLS
	N.D.	Cup extractor for MTB hubs		PRO-TOOLS
	N.D.	Tool to fully insert the cups	Road / MTB version	PRO-TOOLS
	N.D.	Open-ended wrenches	Measurement 15 and 17	USER TOOLS
	N.D.	Wrench with allen / Torx insert	Allen: 2.5 mm Torx: TR 09	USER TOOLS
	N.D.	Screwdriver with hexagonal insert for nipple 3.2 mm		USER TOOLS
	N.D.	Hammer with plastic head	Head diameter 22 mm	USER TOOLS

TOOLS			SYMBOLS KEY:	
			FULCRUM PRO-TOOLS	Tool that can be purchased from Fulcrum's dealers
			PRO-TOOLS	Professional tools that can be purchased from specialised stores (for information on where they can be purchased contact Campagnolo's Authorised Service Centres)
			USER TOOLS	Common tool available to the user
PHOTO	CODE	DESCRIPTION	CHARACTERISTICS	TOOL TYPE
	N.D.	Set of fixed allen keys	Range 1.5 mm to 10 mm	USER TOOLS
	N.D.	Set of screwdrivers		USER TOOLS
	N.D.	Hard bristle brush		USER TOOLS

RED CARBON XRP

6 BOLTS
front: QR
rear: QR


RIMS & SPOKES/CERCHI E RAGGI

RIM 	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE VALVE HOLE BUSHING DIAMETER TYRE SECTION	RMCF-DRK01 (with labels) RMCR-DRK (with labels) RMC-LAB11DK (FRONT+REAR) 6,5 mm M1-102 5-RMC-014 (for valve seat reduction - 5 pcs.) 26 Tubeless See recommended tyre manufacturer inflation pressure
SPOKES COMPLETE FRONT KIT COMPLETE REAR KIT COMPLETE SPOKE Front RH/Rear RH COMPLETE SPOKE Front LH COMPLETE SPOKE Rear LH NIPPLES SPOKE SPANNER	RMCF-DSK01 RMCR-DSK01 RMCF-DSR01 RMCF-DSL01 RMCR-DSL01 RMC-B T-20	10 spokes front LH + 10 spokes front RH + 20 nipples 10 spokes rear LH + 10 spokes rear RH + 20 nipples spoke + nipple spoke + nipple spoke + nipple 10 pcs. spoke wrench

RED CARBON XRP

6 BOLTS
front: QR
rear: QR

HUBS/MOZZI




RED CARBON XRP

6 BOLTS

front: 15mm thru-axle

RIMS & SPOKES/CERCHI E RAGGI

RIM

	FRONT RIM LABEL KIT VALVE HOLE VALVE VALVE HOLE BUSHING DIAMETER TYRE SECTION	RMCF-DRK01 (with labels) RMC-LAB11DK (FRONT+REAR) 6,5 mm M1-102 5-RMC-014 (for valve seat reduction - 5 pcs.) 26 Tubeless See recommended tyre manufacturer inflation pressure
---	---	--

SPOKES

COMPLETE FRONT KIT COMPLETE SPOKE Front RH COMPLETE SPOKE Front LH NIPPLES SPOKE SPANNER	RMCF-DSK02 RMCF-DSR01 RMCF-DSL02 RMC-B T-20	10 spokes front LH + 10 spokes front RH + 20 nipples spoke + nipple spoke + nipple 10 pcs. spoke wrench
--	---	---

ADAPTERS


KIT 15 thru-axle	RM11-TA15	for front wheel (2A + 2B)
------------------	-----------	---------------------------

RED CARBON XRP

6 BOLTS

front: 15mm thru-axle

HUBS/MOZZI




RED METAL ZERO XRP

6 BOLTS
front: QR/15 ta
rear: QR

RIMS & SPOKES/CERCHI E RAGGI

RIM



FRONT RIM
REAR RIM
LABEL KIT
VALVE HOLE
VALVE
VALVE HOLE BUSHING
DIAMETER
TYRE SECTION

RMOF-DRR01 (red - with labels) - RMOF-DRB01 (black - with labels)
 RMOR-DRR (red - with labels) - RMOR-DRB (black - with labels)
 RMO-LAB11DRB (red & black - FRONT+REAR) - RMO-LAB11DB (black -
 FRONT+REAR)
 6,5 mm
 M1-102
 5-RMC-014 (for valve seat reduction - 5 pcs.)
 26 Tubeless
 See recommended tyre manufacturer inflation pressure

SPOKES

COMPLETE FRONT KIT
COMPLETE REAR KIT
COMPLETE SPOKE Front RH
COMPLETE SPOKE Front LH
COMPLETE SPOKE Rear RH
COMPLETE SPOKE Rear LH
NIPPLES
SPOKE RING
NIPPLE INSERT
NIPPLE MAGNET
SPOKE SPANNER

RM0F-DSK01
RM0R-DSK01
RM0F-DSR01
RM0F-DSL01
RM0R-DSR01
RM0R-DSL01
RM0-B
T-02
T-03
T-05
T-07

14 spokes front RH + 7 spokes front LH + 21 nipples
8 spokes rear LH + 16 spokes rear RH + 24 nipples
spoke + nipple
spoke + nipple
spoke + nipple
spoke + nipple
10 pcs.
anti-rotation
magnet-attractor for nipple
nipple-guide
spoke wrench

ACCESSORIES

KIT QR

RM11-TAQR

for front wheel ($2A + 2B$)


KIT 15 thru-axle

RM11-TA15

for front wheel - from QR to 15mm thru axle

RED METAL ZERO XRP

6 BOLTS
front: QR/15 ta
rear: QR

HUBS/MOZZI


RM0-100 HUB KIT

2 x RM0-025
2 x RM0-006
2 x RM0-029
2 x RM0-007

RED METAL ZERO XRP

AFS
front: QR/15mm ta
rear: QR

RIMS & SPOKES/CERCHI E RAGGI

RIM		
	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE VALVE HOLE BUSHING DIAMETER TYRE SECTION	RM0F-DRR01 (red - with labels) - RM0F-DRB01 (black - with labels) RM0R-DRR (red - with labels) - RM0R-DRB (black - with labels) RM0-LAB11DRB (red & black - FRONT+REAR) - RM0-LAB11DB (black - FRONT+REAR) 6,5 mm M1-102 5-RMC-014 (for valve seat reduction - 5 pcs.) 26 Tubeless See recommended tyre manufacturer inflation pressure


SPOKES		
COMPLETE FRONT KIT COMPLETE REAR KIT COMPLETE SPOKE Front RH COMPLETE SPOKE Front LH COMPLETE SPOKE Rear RH COMPLETE SPOKE Rear LH NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RM0F-DSK01 RM0R-DSK01 RM0F-DSR01 RM0F-DSL01 RM0R-DSR01 RM0R-DSL01 RM0-B T-02 T-03 T-05 T-07	14 spokes front RH + 7 spokes front LH + 21 nipples 8 spokes rear LH + 16 spokes rear RH + 24 nipples spoke + nipple spoke + nipple spoke + nipple spoke + nipple 10 pcs. anti-rotation magnet-attractor for nipple nipple-guide spoke wrench

ACCESSORIES		
KIT QR	RM11-TAQR	for front wheel (2A + 2B)
KIT 15 thru-axle	RM11-TA15	for front wheel - from QR to 15mm thru axle
AFS LOCKRING	4-M1-101	to fix the brake disc
AFS LOCKRING TOOL	UT-BB130	

RED METAL ZERO XRP

AFS
front: QR/15mm ta
rear: QR


HUBS/MOZZI



RED METAL 1 XL

RIMS & SPOKES/CERCHI E RAGGI

RIM

	FRONT/REAR RIM LABEL KIT VALVE HOLE VALVE VALVE HOLE BUSHING DIAMETER TYRE SECTION	RM1F-DRB01 (with labels) RM1-LAB10DB (FRONT+REAR) 6,5 mm M1-102 5-RMC-014 (for valve seat reduction - 5 pcs.) 26 Tubeless See recommended tyre manufacturer inflation pressure
---	--	--

SPOKES

SPOKES Front RH/Rear LH SPOKES Front LH/Rear RH NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RM1-DS11 RM1-DS12 RM0-B T-02 T-10 T-05 T-07	8 spokes + 8 nipples 8 spokes + 8 nipples 10 pcs. anti-rotation magnet-attractor for nipple nipple-guide spoke wrench
--	---	---


ACCESSORIES

KIT QR	RM11-TAQR	for front wheel (2A + 2B)
KIT 15 thru-axle	RM11-TA15	for front wheel - from QR to 15mm thru axle

6 BOLTS
front: QR/15mm ta
rear: QR

RED METAL 1 XL


HUBS/MOZZI



RED METAL 1 XL

6 BOLTS
front: 20mm ta
rear: 12mm ta 135/142

RIMS & SPOKES/CERCHI E RAGGI

RIM		
	FRONT/REAR RIM LABEL KIT VALVE HOLE VALVE VALVE HOLE BUSHING DIAMETER TYRE SECTION	RM1F-DRB01 (with labels) RM1-LAB10DB (FRONT+REAR) 6,5 mm M1-102 5-RMC-014 (for valve seat reduction - 5 pcs.) 26 Tubeless See recommended tyre manufacturer inflation pressure
SPOKES		
SPOKES Front RH/Rear LH SPOKES Front LH/Rear RH NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RM1-DS11 RM1-DS12 RM0-B T-02 T-10 T-05 T-07	8 spokes + 8 nipples 8 spokes + 8 nipples 10 pcs. anti-rotation magnet-attractor for nipple nipple-guide spoke wrench


ACCESSORIES

A+B+C+D	135 mm O.L.D.	KIT-X12
A+B+C+D	142 mm O.L.D.	RM11-TA12

RED METAL 1 XL

6 BOLTS
front: 20mm ta
rear: 12mm ta 135/142


HUBS/MOZZI



RED METAL 1 XL

RIMS & SPOKES/CERCHI E RAGGI

RIM

	FRONT/REAR RIM LABEL KIT VALVE HOLE VALVE VALVE HOLE BUSHING DIAMETER TYRE SECTION	RM1F-DRB01 (with labels) RM1-LAB10DB (FRONT+REAR) 6,5 mm M1-102 5-RMC-014 (for valve seat reduction - 5 pcs.) 26 Tubeless See recommended tyre manufacturer inflation pressure
---	--	--

SPOKES

SPOKES Front RH/Rear LH SPOKES Front LH/Rear RH NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RM1-DS11 RM1-DS12 RM0-B T-02 T-10 T-05 T-07	8 spokes + 8 nipples 8 spokes + 8 nipples 10 pcs. anti-rotation magnet-attractor for nipple nipple-guide spoke wrench
--	---	---


ACCESSORIES

KIT QR	RM11-TAQR	for front wheel (2A + 2B)
KIT 15 thru-axle	RM11-TA15	for front wheel - from QR to 15mm thru axle
AFS LOCKRING	4-M1-101	to fix the brake disc
AFS LOCKRING TOOL	UT-BB130	

AFS
front: QR/15mm ta
rear: QR

RED METAL 1 XL


HUBS/MOZZI



RED METAL 3

RIMS & SPOKES/CERCHI E RAGGI

RIM

	FRONT/REAR RIM LABEL KIT VALVE HOLE VALVE VALVE HOLE BUSHING DIAMETER TYRE SECTION	RM3F-DRB01 (with labels) RM3-LAB10DB (FRONT+REAR) 6,5 mm M1-102 5-RMC-014 (for valve seat reduction - 5 pcs.) 26 Tubeless See recommended tyre manufacturer inflation pressure
---	--	--

SPOKES

SPOKES Front RH/Rear LH SPOKES Front LH SPOKES Rear RH NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RM3-DS11 RM3-DS12 RMZ-DS02 RM3-B T-02 T-10 T-05 T-07	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. anti-rotation magnet-attractor for nipple nipple-guide spoke wrench
--	---	---


ACCESSORIES

KIT QR	RM11-TAQR	for front wheel (2A + 2B)
KIT 15 thru-axle	RM11-TA15	for front wheel - from QR to 15mm thru axle

6 BOLTS
front: QR/15mm ta
rear: QR

RED METAL 3

HUBS/MOZZI




RED METAL 3

6 BOLTS

rear: 12mm ta 135/142

RIMS & SPOKES/CERCHI E RAGGI

RIM

	FRONT/REAR RIM LABEL KIT VALVE HOLE VALVE VALVE HOLE BUSHING DIAMETER TYRE SECTION	RM3F-DRB01 (with labels) RM3-LAB10DB (FRONT+REAR) 6,5 mm M1-102 5-RMC-014 (for valve seat reduction - 5 pcs.) 26 Tubeless See recommended tyre manufacturer inflation pressure
---	--	--

SPOKES

SPOKES Rear LH SPOKES Rear RH NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RM3-DS11 RMZ-DS02 RM3-B T-02 T-10 T-05 T-07	8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. anti-rotation magnet-attractor for nipple nipple-guide spoke wrench
--	---	---

ACCESSORIES


A+B+C+D	135 mm O.L.D.	KIT-X12
A+B+C+D	142 mm O.L.D.	RM11-TA12

RED METAL 3

6 BOLTS

rear: 12mm ta 135/142


HUBS/MOZZI



RED METAL 3

RIMS & SPOKES/CERCHI E RAGGI

RIM

	FRONT RIM/POST LABEL KIT VALVE HOLE VALVE VALVE HOLE BUSHING DIAMETER TYRE SECTION	RM3F-DRB01 (with labels) RM3-LAB10DB (FRONT+REAR) 6,5 mm M1-102 5-RMC-014 (for valve seat reduction - 5 pcs.) 26 Tubeless See recommended tyre manufacturer inflation pressure
---	--	--

SPOKES

SPOKES Front RH/Rear LH SPOKES Front LH SPOKES Rear RH NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RM3-DS11 RM3-DS12 RMZ-DS02 RM3-B T-02 T-10 T-05 T-07	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. anti-rotation magnet-attractor for nipple nipple-guide spoke wrench
--	---	---


ACCESSORIES

KIT QR	RM11-TAQR	for front wheel (2A + 2B)
KIT 15 thru-axle	RM11-TA15	for front wheel - from QR to 15mm thru axle
AFS LOCKRING	4-M1-101	to fix the brake disc
AFS LOCKRING TOOL	UT-BB130	

AFS
front: QR/15mm ta
rear: QR

RED METAL 3


HUBS/MOZZI



RED POWER XL

RIMS & SPOKES/CERCHI E RAGGI

RIM

	LABEL KIT VALVE HOLE VALVE HOLE BUSHING RIM-TAPE DIAMETER TYRE SECTION	RPX-LAB1 2DB (FRONT+REAR) 8,5 mm RPX-015 (for valve seat reduction - 10 pcs.) RPX-RT 559 X 19C See section table and inflation pressures on page 130 - 131
---	---	---

SPOKES

SPOKES Front RH SPOKES Front LH SPOKES Rear RH SPOKES Rear LH	RPX-DS01 RPX-DS02 RPX-DS03 RMH-DS02	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples
--	--	--


ACCESSORIES

KIT QR	RM11-TAQR	for front wheel (2A + 2B)
KIT 15 thru-axle	RM11-TA15	for front wheel - from QR to 15mm thru axle

6 BOLTS
front: QR/15mm ta
rear: QR

RED POWER XL

HUBS/MOZZI




RED POWER XL

6 BOLTS

rear: 12mm to 135/142

RIMS & SPOKES/CERCHI E RAGGI

RIM

	LABEL KIT VALVE HOLE VALVE HOLE BUSHING RIM-TAPE DIAMETER TYRE SECTION	RPX-LAB1 2DB (FRONT+REAR) 8,5 mm RPX-015 (for valve seat reduction - 10 pcs.) RPX-RT 559 X 19C See section table and inflation pressures on page 130 - 131
---	---	---

SPOKES

SPOKES Rear RH SPOKES Rear LH	RPX-DS03 RMH-DS02	8 spokes + 8 nipples 8 spokes + 8 nipples
----------------------------------	----------------------	--

ACCESSORIES


A+B+C+D	135 mm O.L.D.	KIT-X12
A+B+C+D	142 mm O.L.D.	RM11-TA12

RED POWER XL

6 BOLTS

rear: 12mm to 135/142


HUBS/MOZZI



RED POWER XL

RIMS & SPOKES/CERCHI E RAGGI

RIM

	LABEL KIT VALVE HOLE VALVE HOLE BUSHING RIM-TAPE DIAMETER TYRE SECTION	RPX-LAB1 2DB (FRONT+REAR) 8,5 mm RPX-015 (for valve seat reduction - 10 pcs.) RPX-RT 559 X 19C See section table and inflation pressures on page 130 - 131
---	---	---

SPOKES

SPOKES Front RH SPOKES Front LH SPOKES Rear RH SPOKES Rear LH	RPX-DS01 RPX-DS02 RPX-DS03 RMH-DS02	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples
--	--	--


ACCESSORIES

KIT QR	RM11-TAQR	for front wheel (2A + 2B)
KIT 15 thru-axle	RM11-TA15	for front wheel - from QR to 15mm thru axle
AFS LOCKRING	4-M1-101	to fix the brake disc
AFS LOCKRING TOOL	UT-BB130	

AFS
front: QR/15mm ta
rear: QR

RED POWER XL

HUBS/MOZZI




RED POWER XL

AFS

rear: 12mm ta 135/142

RIMS & SPOKES/CERCHI E RAGGI

RIM

	LABEL KIT VALVE HOLE VALVE HOLE BUSHING RIM-TAPE DIAMETER TYRE SECTION	RPX-LAB1 2DB (FRONT+REAR) 8,5 mm RPX-015 (for valve seat reduction - 10 pcs.) RPX-RT 559 X 19C See section table and inflation pressures on page 130 - 131
---	---	---

SPOKES

SPOKES Rear RH SPOKES Rear LH	RPX-DS03 RMH-DS02	8 spokes + 8 nipples 8 spokes + 8 nipples
----------------------------------	----------------------	--

ACCESSORIES


A+B+C+D	135 mm O.L.D.	KIT-X1 2AFS
A+B+C+D	142 mm O.L.D.	RP12-TA1 2AFS
AFS LOCKRING	4-M1-101	to fix the brake disc
AFS LOCKRING TOOL	UT-BB130	

RED POWER XL

AFS

rear: 12mm ta 135/142


HUBS/MOZZI



RED POWER SL

RIMS & SPOKES/CERCHI E RAGGI

RIM

	LABEL KIT VALVE HOLE VALVE HOLE BUSHING RIM-TAPE DIAMETER TYRE SECTION	RPS-LAB1 2DB (FRONT+REAR) 8,5 mm RPX-015 (for valve seat reduction - 10 pcs.) RPX-RT 559 X 19C See section table and inflation pressures on page 130 - 131
---	---	---

SPOKES


SPOKES Front RH SPOKES Front LH/Rear RH SPOKES Rear LH	RPS-DS02 RPS-DS01 RPS-DS03	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples
--	----------------------------------	--

6 BOLTS
front: QR
rear: QR

RED POWER SL

HUBS/MOZZI

6 BOLTS
front: QR
rear: QR




RED POWER SL

6 BOLTS

front: 15mm thru-axle

RIMS & SPOKES/CERCHI E RAGGI

RIM

	LABEL KIT VALVE HOLE VALVE HOLE BUSHING RIM-TAPE DIAMETER TYRE SECTION	RPS-LAB1 2DB (FRONT+REAR) 8,5 mm RPX-015 (for valve seat reduction - 10 pcs.) RPX-RT 559 X 19C See section table and inflation pressures on page 130 - 131
---	---	---

SPOKES

SPOKES Front RH SPOKES Front LH	RPS-DS04 RPS-DS01	8 spokes + 8 nipples 8 spokes + 8 nipples
------------------------------------	----------------------	--

ACCESSORIES


KIT 15 thru-axle	RM11-TA15	for front wheel - from QR to 15mm thru axle
------------------	-----------	---

RED POWER SL

6 BOLTS

front: 15mm thru-axle


HUBS/MOZZI



RED METAL 29 XRP

RIMS & SPOKES/CERCHI E RAGGI

RIM

	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE DIAMETER TYRE SECTION	RM9F-DRB (with labels) RM9R-DRB (with labels) RM9-LAB13DB (FRONT+REAR) 6,5 mm M1-102 29 Tubeless See recommended tyre manufacturer inflation pressure
---	---	---

SPOKES

SPOKES Front RH SPOKES Front LH SPOKES Rear NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RM9F-DS01 RM9F-DS02 RM9R-DS01 RM9-R T-02 T-11 T-05 T-07	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 10 pcs anti-rotation magnet-attractor for nipple nipple-guide spoke wrench
---	--	--


ACCESSORIES

KIT QR	RM11-TAQR	for front wheel (2A + 2B)
KIT 15 thru-axle	RM11-TA15	for front wheel - from QR to 15mm thru axle

6 BOLTS
front: QR/15mm ta
rear: QR

RED METAL 29 XRP

HUBS/MOZZI




RED METAL 29 XRP

AFS
front: QR/15mm ta
rear: QR

RIMS & SPOKES/CERCHI E RAGGI

RIM

	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE DIAMETER TYRE SECTION	RM9F-DRB (with labels) RM9R-DRB (with labels) RM9-LAB13DB (FRONT+REAR) 6,5 mm M1-102 29 Tubeless See recommended tyre manufacturer inflation pressure
---	---	---

SPOKES

SPOKES Front RH SPOKES Front LH SPOKES Rear NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RM9F-DS01 RM9F-DS02 RM9R-DS01 RM9-R T-02 T-11 T-05 T-07	8 spokes + 8 nipples 8 spokes + 8 nipples 8 spokes + 8 nipples 10 pcs anti-rotation magnet-attractor for nipple nipple-guide spoke wrench
---	--	--


ACCESSORIES

KIT QR	RM11-TAQR	for front wheel (2A + 2B)
KIT 15 thru-axle	RM11-TA15	for front wheel - from QR to 15mm thru axle
AFS LOCKRING	4-M1-101	to fix the brake disc
AFS LOCKRING TOOL	UT-BB130	

RED METAL 29 XRP

AFS
front: QR/15mm ta
rear: QR


HUBS/MOZZI



RED METAL 29 XL

RIMS & SPOKES/CERCHI E RAGGI

RIM

	FRONT RIM REAR RIM LABEL KIT VALVE HOLE VALVE VALVE HOLE BUSHING DIAMETER TYRE SECTION	RMXF-DRB01 (with labels) RMXR-DRB (with labels) RMX-LAB11DB (FRONT+REAR) 6,5 mm M1-102 5-RMC-014 (for valve seat reduction - 5 pcs.) 29 Tubeless See recommended tyre manufacturer inflation pressure
---	---	--

SPOKES

SPOKES Front RH/Rear LH SPOKES Front LH/Rear RH NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RMX-DS03 RMX-DS04 RM0-B T-02 T-10 T-05 T-07	8 spokes + 8 nipples 8 spokes + 8 nipples 10 pcs. anti-rotation magnet-attractor for nipple nipple-guide spoke wrench
--	---	---


ACCESSORIES

KIT QR	RM11-TAQR	for front wheel (2A + 2B)
KIT 15 thru-axle	RM11-TA15	for front wheel - from QR to 15mm thru axle

6 BOLTS
front: QR/15mm ta
rear: QR

RED METAL 29 XL


HUBS/MOZZI



RED POWER 29 XL

RIMS & SPOKES/CERCHI E RAGGI

RIM

	LABEL KIT VALVE HOLE VALVE HOLE BUSHING RIM-TAPE DIAMETER TYRE SECTION	RP9-LAB1 2DBX (FRONT+REAR) 8,5 mm RPX-015 (for valve seat reduction - 10 pcs.) RP9-RT 622 X 19C See section table and inflation pressures on page 130 - 131
---	---	--

SPOKES

SPOKES Front LH SPOKES Front RH SPOKES Rear LH SPOKES Rear RH	RP9-DS01 RP9-DS02 RP9-DS03 RP9-DS04	8 spokes + 8 nipples 8 spokes + 8 nipples 14 spokes + 14 nipples 14 spokes + 14 nipples
--	--	--


ACCESSORIES

KIT QR	RM11-TAQR	for front wheel (2A + 2B)
KIT 15 thru-axle	RM11-TA15	for front wheel - from QR to 15mm thru axle

6 BOLTS
front: QR/15mm ta
rear: QR

RED POWER 29 XL

HUBS/MOZZI




RED POWER 29 XL

6 BOLTS

rear: 12mm ta 135/142

RIMS & SPOKES/CERCHI E RAGGI

RIM

	LABEL KIT VALVE HOLE VALVE HOLE BUSHING RIM-TAPE DIAMETER TYRE SECTION	RP9-LAB1 2DBX (FRONT+REAR) 8,5 mm RPX-015 (for valve seat reduction - 10 pcs.) RP9-RT 622 X 19C See section table and inflation pressures on page 130 - 131
---	---	--

SPOKES

SPOKES Rear LH SPOKES Rear RH	RP9-DS03 RP9-DS04	14 spokes + 14 nipples 14 spokes + 14 nipples
----------------------------------	----------------------	--

ACCESSORIES


A+B+C+D	135 mm O.L.D.	KIT-X12
A+B+C+D	142 mm O.L.D.	RM11-TA12

RED POWER 29 XL

6 BOLTS

rear: 12mm ta 135/142


HUBS/MOZZI



RED POWER 29 SL

6 BOLTS
front: QR
rear: QR


RIMS & SPOKES/CERCHI E RAGGI

RIM		
	LABEL KIT VALVE HOLE VALVE HOLE BUSHING RIM-TAPE DIAMETER TYRE SECTION	RP9-LAB1 2DB (FRONT+REAR) 8,5 mm RPX-015 (for valve seat reduction - 10 pcs.) RP9-RT 622 X 19C See section table and inflation pressures on page 130 - 131
SPOKES		
SPOKES Front LH/Rear RH SPOKES Front RH SPOKES Rear LH	RP9-DS06 RP9-DS05 RP9-DS03	14 spokes + 14 nipples 14 spokes + 14 nipples 14 spokes + 14 nipples

RED POWER 29 SL

6 BOLTS
front: QR
rear: QR

HUBS/MOZZI




RED POWER 29 SL

6 BOLTS

front: 15mm thru-axle

RIMS & SPOKES/CERCHI E RAGGI

RIM

	LABEL KIT VALVE HOLE VALVE HOLE BUSHING RIM-TAPE DIAMETER TYRE SECTION	RP9-LAB1 2DB (FRONT+REAR) 8,5 mm RPX-015 (for valve seat reduction - 10 pcs.) RP9-RT 622 X 19C See section table and inflation pressures on page 130 - 131
---	---	---

SPOKES

SPOKES Front RH SPOKES Front LH	RP9-DS02 RP9-DS06	8 spokes + 8 nipples 14 spokes + 14 nipples
------------------------------------	----------------------	--

ACCESSORIES


KIT 15 thru-axle	RM11-TA15	for front wheel - from QR to 15mm thru axle
------------------	-----------	---

RED POWER 29 SL

6 BOLTS

front: 15mm thru-axle


HUBS/MOZZI



RED ZONE XLR

6 BOLTS
front: 20mm ta
rear: 12mm ta 135/142

RIMS & SPOKES/CERCHI E RAGGI

RIM		
	FRONT RIM/POST LABEL KIT VALVE HOLE VALVE VALVE HOLE BUSHING DIAMETER TYRE SECTION	RMZF-DRBX (with labels) RMZ-LAB10DBX (FRONT+REAR) 6,5 mm M1-102 5-RMC-014 (for valve seat reduction - 5 pcs.) 26 Tubeless See recommended tyre manufacturer inflation pressure
SPOKES		
SPOKES Front RH/Rear LH SPOKES Front LH/Rear RH NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RM1-DS11 RM1-DS12 RM0-B T-02 T-10 T-05 T-07	8 spokes + 8 nipples 8 spokes + 8 nipples 10 pcs. anti-rotation magnet-attractor for nipple nipple-guide spoke wrench


ACCESSORIES

A+B+C+D	135 mm O.L.D.	KIT-X12
A+B+C+D	142 mm O.L.D.	RM11-TA12

RED ZONE XLR

6 BOLTS
front: 20mm ta
rear: 12mm ta 135/142


HUBS/MOZZI



RED ZONE XLR

6 BOLTS
front: 15mm ta
rear: QR

RIMS & SPOKES/CERCHI E RAGGI

RIM		
	FRONT RIM/POST LABEL KIT VALVE HOLE VALVE VALVE HOLE BUSHING DIAMETER TYRE SECTION	RMZF-DRBX (with labels) RMZ-LAB10DBX (FRONT+REAR) 6,5 mm M1-102 5-RMC-014 (for valve seat reduction - 5 pcs.) 26 Tubeless See recommended tyre manufacturer inflation pressure
SPOKES		
SPOKES Front RH/Rear LH SPOKES Front LH/Rear RH NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RM1-DS11 RM1-DS12 RM0-B T-02 T-10 T-05 T-07	8 spokes + 8 nipples 8 spokes + 8 nipples 10 pcs. anti-rotation magnet-attractor for nipple nipple-guide spoke wrench


ACCESSORIES

KIT 15 thru-axle	RM11-TA15	for front wheel - from QR to 15mm thru axle
------------------	-----------	---

RED ZONE XLR

6 BOLTS
front: 15mm ta
rear: QR


HUBS/MOZZI



RED ZONE

RIMS & SPOKES/CERCHI E RAGGI

RIM

	FRONT RIM/POST VALVE HOLE VALVE VALVE HOLE BUSHING DIAMETER TYRE SECTION	RMZF-DRB (with labels) 6,5 mm M1-102 5-RMC-014 (for valve seat reduction - 5 pcs.) 26 Tubeless See recommended tyre manufacturer inflation pressure
---	---	--

SPOKES

SPOKES Front RH/Rear LH SPOKES Front LH/Rear RH NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RMZ-DS01 RMZ-DS02 RM3-B T-02 T-10 T-05 T-07	8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. anti-rotation magnet-attractor for nipple nipple-guide spoke wrench
--	---	---


ACCESSORIES

A+B+C+D	135 mm O.L.D.	KIT-X12
A+B+C+D	142 mm O.L.D.	RM11-TA12

6 BOLTS
front: 20mm ta
rear: 12mm ta 135/142

RED ZONE


HUBS/MOZZI



RED ZONE

RIMS & SPOKES/CERCHI E RAGGI

RIM

	FRONT RIM/POST VALVE HOLE VALVE VALVE HOLE BUSHING DIAMETER TYRE SECTION	RMZF-DRB (with labels) 6,5 mm M1-102 5-RMC-014 (for valve seat reduction - 5 pcs.) 26 Tubeless See recommended tyre manufacturer inflation pressure
---	---	--

SPOKES

SPOKES Front RH/Rear LH SPOKES Front LH/Rear RH NIPPLES SPOKE RING NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RMZ-DS01 RMZ-DS02 RM3-B T-02 T-10 T-05 T-07	8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. anti-rotation magnet-attractor for nipple nipple-guide spoke wrench
--	---	---


ACCESSORIES

KIT 15 thru-axle	RM11-TA15	for front wheel - from QR to 15mm thru axle
------------------	-----------	---

6 BOLTS
front: 15mm ta
rear: QR

RED ZONE

HUBS/MOZZI




6 BOLTS
front: 15mm ta
rear: QR

RED FIRE

RIMS & SPOKES/CERCHI E RAGGI

RIM

	FRONT RIM/POST LABEL KIT VALVE HOLE VALVE VALVE HOLE BUSHING DIAMETER TYRE SECTION	RMFF-DRR (with labels) RMF-LAB9DR (FRONT+REAR) 6,5 mm M1-102 5-RMC-014 (for valve seat reduction - 5 pcs.) 26 Tubeless See recommended tyre manufacturer inflation pressure
---	--	---


SPOKES

SPOKES Front RH/Rear LH SPOKES Front LH/Rear RH NIPPLES NIPPLE INSERT NIPPLE MAGNET SPOKE SPANNER	RMF-DS01 RMF-DS02 RM3-B T-10 T-05 T-07	8 spokes + 8 nipples 8 spokes + 8 nipples 50 pcs. magnet-attractor for nipple nipple-guide spoke wrench
--	---	--

6 BOLTS
front: 20mm ta - OLD 110
rear: 12mm ta - OLD 150

RED FIRE


HUBS/MOZZI



RED HEAT

RIMS & SPOKES/CERCHI E RAGGI

RIM



LABEL KIT
VALVE HOLE
DIAMETER
TYRE SECTION

RMH-LAB11DB (FRONT+REAR)
8,5 mm
599 x 19C
See section table and inflation pressures on page 130 - 131

front: 20mm ta - OLD 110
rear: 12mm ta - OLD 150


SPOKES

SPOKES Front
SPOKES Rear RH
SPOKES Rear LH

RMH-DS01
RMH-DS02
RMH-DS03

8 spokes + 8 nipples
8 spokes + 8 nipples
8 spokes + 8 nipples

RED HEAT

HUBS/MOZZI

front: 20mm ta - OLD 110
rear: 12mm ta - OLD 150

6 BOLTS

OFF-ROAD

ADAPTERS


QUICK RELEASE ⇄ THRU-AXLE 15 mm ADAPTER

QR Ø 9mm - 100mm

Thru axle Ø 15mm - 100mm

RM11-TAQR

RM11-TA15



ADAPTERS


Thru-Axle 12mm/135mm ⇄ Syntace X-12/142mm ADAPTER

Thru axle Ø 12mm - O.L.D. 135mm

Thru axle Ø 12mm - O.L.D. 142mm

KIT-X12

RM11-TA12 - RM11-TA12AFS



MAXIMUM OPERATING PRESSURE

			RIM DIMENSION							
			19C		21C		23C		25C	
TYRE WIDTH	mm	in.	BAR	PSI	BAR	PSI	BAR	PSI	BAR	PSI
	28	1,10	8,0	117						
	30	1,20	7,0	103						
	32	1,25	6,7	99						
	35	1,30	6,3	93	6,3	93				
	37	1,40	6,0	88	6,0	88	6,0	88		
	40	1,50	5,7	83	5,7	83	5,7	83		
	42	1,60	5,5	80	5,5	80	5,5	80	5,5	80
	44	1,70	5,2	76	5,2	76	5,2	76	5,2	76
	47	1,80	4,8	71	4,8	71	4,8	71	4,8	71
	50	1,90	4,5	66	4,5	66	4,5	66	4,5	66
	52	2,00	4,3	63	4,3	63	4,3	63	4,3	63

MAXIMUM OPERATING PRESSURE

			RIM DIMENSION							
			19C		21C		23C		25C	
TYRE WIDTH	mm	in.	BAR	PSI	BAR	PSI	BAR	PSI	BAR	PSI
	54	2,10	4,0	59	4,0	59	4,0	59	4,0	59
	57	2,20	3,7	55	3,7	55	3,7	55	3,7	55
	60	2,30	3,4	50	3,4	50	3,4	50	3,4	50
	61	2,40			3,2	47	3,2	47	3,2	47
	63	2,50			3,0	44	3,0	44	3,0	44
	66	2,60			2,8	41	2,8	41	2,8	41
	69	2,70			2,7	39	2,7	39	2,7	39
	71	2,80					2,5	36	2,5	36
	74	2,90					2,4	34	2,4	34
	76	3,00					2,1	30	2,1	30

QUICK
RELEASE



RED CARBON™ XRP

RM0-QFR

RED METAL™ ZERO XRP

RM0-QFR

RED METAL™ 1 XL

RM0-QFR

RED METAL™ 3

RM5-QFR

RED POWER™ XL

RM5-QFR

RED POWER™ SL

RM5-QFR

RED METAL™ 29 XRP

RM9-QFR

RED METAL™ 29 XL

RM0-QFR

RED POWER™ 29 XL

RM5-QFR

RED POWER™ 29 SL

RM5-QFR

RED ZONE™ XLR

RM0-QFR

RED ZONE™

RM0-QFR

TOOLS

SYMBOLS KEY:

FULCRUM PRO-TOOLS

Tool that can be purchased from Fulcrum's dealers


PRO-TOOLS

Professional tools that can be purchased from specialised stores (for information on where they can be purchased contact Campagnolo's Authorised Service Centres)

USER TOOLS

Common tool available to the user

PHOTO	CODE	DESCRIPTION	CHARACTERISTICS	TOOL TYPE
	T-02	Spoke retainer ring		FULCRUM PRO-TOOLS
	T-07	Spoke wrench		FULCRUM PRO-TOOLS
	T-20	Nipple wrench for Red Carbon		FULCRUM PRO-TOOLS
	T-05	Nipple-guide magnet		FULCRUM PRO-TOOLS
	T-03	RACING 1 – RACING ZERO – RED METAL ZERO – RED CARBON magnet-attracting nipple insert		FULCRUM PRO-TOOLS
	T-04	RACING 3 magnet-attracting nipple insert		FULCRUM PRO-TOOLS
	T-10	RED METAL 1 – RED METAL 3 – RED METAL 29 XLR – RED FIRE magnet-attracting nipple insert		FULCRUM PRO-TOOLS
	WH-109HYC	Lever for removing clincher		FULCRUM PRO-TOOLS
	UT-BB130	Tool for AFS lockring and RACING TORQ cups		FULCRUM PRO-TOOLS

TOOLS			SYMBOLS KEY:	
			FULCRUM PRO-TOOLS	Tool that can be purchased from Fulcrum's dealers
			PRO-TOOLS	Professional tools that can be purchased from specialised stores (for information on where they can be purchased contact Campagnolo's Authorised Service Centres)
			USER TOOLS	Common tool available to the user
PHOTO	CODE	DESCRIPTION	CHARACTERISTICS	TOOL TYPE
	UT-BB140	Tool for RACING TORQ Os-Fit cups		FULCRUM PRO-TOOLS
	N.D.	Holder for round spokes		PRO-TOOLS
	N.D.	Nipple thread-locker		PRO-TOOLS
	N.D.	17mm dynamometric spanner	Set to close at 15 Nm (132 in.lbs)	PRO-TOOLS
	N.D.	Truing Stand		PRO-TOOLS
	N.D.	Feeler gauge centesimal	Resolution 0.01 mm	PRO-TOOLS
	N.D.	Analogue or digital tensiometer		PRO-TOOLS
	N.D.	Dishing Tool		PRO-TOOLS

TOOLS			SYMBOLS KEY:	
			FULCRUM PRO-TOOLS	Tool that can be purchased from Fulcrum's dealers
			PRO-TOOLS	Professional tools that can be purchased from specialised stores (for information on where they can be purchased contact Campagnolo's Authorised Service Centres)
			USER TOOLS	Common tool available to the user
PHOTO	CODE	DESCRIPTION	CHARACTERISTICS	TOOL TYPE
	N.D.	Professional bearing stripper	Strippers with a diameter ranging from 7 mm to 28 mm	PRO-TOOLS
	N.D.	Torque screwdriver with a 2.5mm Allen driver bit	Closure range from 1.2 Nm (11in.lbs) to 3.0 Nm (27 in.lbs)	PRO-TOOLS
	N.D.	Cup extractor for road hubs		PRO-TOOLS
	N.D.	Cup extractor for MTB hubs		PRO-TOOLS
	N.D.	Tool to fully insert the cups	Road / MTB version	PRO-TOOLS
	N.D.	Open-ended wrenches	Measurement 15 and 17	USER TOOLS
	N.D.	Wrench with allen / Torx insert	Allen: 2.5 mm Torx: TR 09	USER TOOLS
	N.D.	Screwdriver with hexagonal insert for nipple 3.2 mm		USER TOOLS
	N.D.	Hammer with plastic head	Head diameter 22 mm	USER TOOLS

TOOLS			SYMBOLS KEY:	
			FULCRUM PRO-TOOLS	Tool that can be purchased from Fulcrum's dealers
			PRO-TOOLS	Professional tools that can be purchased from specialised stores (for information on where they can be purchased contact Campagnolo's Authorised Service Centres)
			USER TOOLS	Common tool available to the user
PHOTO	CODE	DESCRIPTION	CHARACTERISTICS	TOOL TYPE
	N.D.	Set of fixed allen keys	Range 1.5 mm to 10 mm	USER TOOLS
	N.D.	Set of screwdrivers		USER TOOLS
	N.D.	Hard bristle brush		USER TOOLS

HEADQUARTERS

FULCRUM WHEELS S.R.L.
Via E.Fermi 13
36057 Arcugnano (VI)
Tel. +39 0444 289306
Fax +39 0444 962844
info@fulcrumwheels.com
technical@fulcrumwheels.com

BRANCH OFFICES

FRANCE
FULCRUM FRANCE
58640 Varennes Vauzelles
Tel. +33 386 577867
infos@fulcrumwheels.fr

FULCRUM CENTRAL EUROPE
BERLIN GERMANY
Tel:+49 (163) 625 8941
info@fulcrum-ce.com

JAPAN
FULCRUM JAPAN
65 Yoshida-cho, Naka-ku
231-0041 Yokohama
Tel +81 45 264 2780
info@fulcrum-jp.com

NORTH AMERICA - USA
FULCRUM NORTH AMERICA
Sarasota, Florida
Tel +1 (941) 894 7930
info@fulcrum-na.com

TAIWAN
PRIMATEK Ltd.
No.4, Gongyequ 10th Rd.
Taichung City 407 - Xitun Dist.
Taiwan (R.O.C.)
Tel: +886 4 23506831
Fax: +886 4 23596764
info@primatek.biz

SERVICE CENTER NETWORK

AUSTRALIA
DE GRANDI CYCLES
Geelong Victoria
Tel. +61 35225 3898
Fax +61 35222 3850
e-mail: info@degrandi.com.au

AUSTRIA
EHS
A-4600 WELS
Tel. +43 7242 206360221
Fax +43 7242 20636020
e-mail: office@ehs.at

BELGIUM
SPORT BIKES BVBA
Industrielaan 46
9660 Brakel
Tel. 0032 55 42 63 37
Fax 0032 55 42 61 33
Service-be@fulcrumservice.com

VAN DER WAL N.V.
2627 Schelle
Tel. + 32 3 880 6391
e-mail:info@van-der-wal.be

CANADA
LIVE TO PLAY SPORTS
1465 Kebet Way, Port Coquitlam, BC,
Canada, V3C 6L3
VANCOUVER AREA
Tel- 604-552-2940
TORONTO AREA
Tel- 905-851-1133
http://www.livetoplaysports.com

CHINA
GREEN MILESTONE CO., LTD
BUILDING 19, AREA 2 of
GANLUYUAN SOUTH LANE
CHAOYANG DISTRICT - BEIJING P.R.C.
Tel. +86 10/85755747
e-mail: labike@263.net

CZECH REPUBLIC , SLOVAKIA
CAROSELLO S.R.O.
70200 Ostrava
CHECK REPUBLIC
Tel. +420 596 745693
Fax +420 596 745 692
e-mail: maxcursor@maxcursor.cz

FRANCE
FULCRUM FRANCE EURL
58640 VARENNES VAUZELLES
Tel. +33 386 577867
e-mail: infos@fulcrumwheels.fr

GERMANY
HERMANN HARTJE KG
27318 Hoya/Weser
Tel. +49 425 18110
e-mail: hartmut.wiechmann@hartje.de

JBS RADSPORT GROSSHANDEL E.H.
D-52249 Eschweiler
Tel. +49 240378360
Fax +492403783679
e-mail: kontakt@jbs-trading.de

SERVICE CENTER NETWORK

JAPAN

FULCRUM Japan,
65 yoshida-cho, nakaku, 321-0041,
Yokohama
Email: info@fulcrum.jp.com
Tel: 0081 45 264 2780

KOREA

VERY GOOD LEISURE (CELLOSPORT)
Nonhyun-dong, Gangnam-gu Seoul
Tel. +82 2 3014 4075
Fax +82 2 3448 5482
e-mail: choj21@cellosports.com

ITALY

FULCRUM Service Center
Via della Chimica, 4
36100 Vicenza
Tel. 0444-225600
Fax 0444-225606
e-mail: service@fulcrumwheels.com

NETHERLAND

ONEWAY DISTRIBUTION BV
Postbus 12, 3000 AA Rotterdam
Tel. 010 340 3510
Fax 010 340 3501
e-mail: Service-nl@fulcrumservice.com

NEW ZEALAND

PAWSON REID VELO LTD.
O Box 19600 Avondale
Auckland 1746
NEW ZEALAND
Tel. 09 820 3512
Fax 09 820 6471
e-mail: suhag@prv.co.nz

PORTUGAL

VIEIRA GRACA & CA. LDA
Zona Industrial de Alferrarede
2200-293 Abrantes
PORTUGAL
Tel. +351 241371 766 (8)
Fax +351 241377 415
e-mail: vieira.graca.jb@gmail.com

SOUTH AFRICA

ASG SPORT SOLUTIONS (PTY) LTD
Indirizzo: South Africa, 116b glen avenue, Willow
Glen, Pretoria
Email: info@asgsport.co.za
Email: orders@asgsport.co.za
Tel: +27 12 751 4130/31/32/33
Fax: +27 86 730 3099

SPAIN

CASA MASFERRER S.A.
08400 Granollers- Barcelona (E)
Tel. +34 93 8463444
Fax +34 93 8465355
e-mail: cmventas@casamaferrer.com

SWITZERLAND

GOOD PRICE GPR AG
8610 Uster
Tel. +41 44 9449393
Fax +41 44 9449394
e-mail: info@gprag.ch

TAIWAN

MARECHAL INTERNATIONAL CO., LTD.
No.9, Sinmin Lane, Nantun District
Taichung City 40871, Taiwan
Tel +886-4 2479 3208
Fax +886-4 2479 3209
e-mail: asia@marechal.ca

UNITED KINGDOM

I-RIDE.CO.UK
7-8B Mid Sussex Bus. Park
Ditchling Common Ind. Est.
Folders Lane East, Ditchling, Sussex
BN6 8SE
Tel. 01444 243000,
Fax 01444 239215
e-mail: service@i-ride.co.uk

U.S.A.

QUALITY BICYCLE PRODUCTS, INC.
55438-2554 BLOOMINGTON, MN
Tel. +1 952 9419391
Fax +1 952 6565252
e-mail: info@qbp.com

Fulcrum N.A. LLC
4553 Mariotti Court
Suite #103 Sarasota, FL. 34233
Office Tel: 941-924-1300
Office Fax: 1800-305-7603
darren.dowling@fulcrum-na.com

SALES NETWORK

AUSTRALIA

DE GRANDI CYCLES
Geelong Victoria
Australia
Tel. +61 35225 3898
Fax +61 35222 3850
e-mail: info@degrandi.com.au

AUSTRIA

EHS
A-4600 WELS
AUSTRIA
Tel. +43 7242 206360221
Fax +43 7242 20636020
e-mail: office@ehs.at

BELGIUM

SPORT BIKES BVBA
Industrielaan 46
9660 Brakel
Belgium
Tel. 0032 55 42 63 37
Fax 0032 55 42 61 33
e-mail : fulcrumsales@sportbikes.be

VAN DER WAL N.V.

2627 Schelle
Tel. + 32 3 880 6391
e-mail: info@van-der-wal.be

CANADA

LIVE TO PLAY SPORTS
1465 Kebet Way, Port Coquitlam,
BC, Canada, V3C 6L3
VANCOUVER AREA
Tel- 604-552-2940
TORONTO AREA
Tel- 905-851-1133
http://www.livetoplaysports.com

CHINA

POWER RACING (Wujiang) Co Ltd
No 2278 Pangjin Road, Wujiang
Econ Tech Development Zone,
Jiangsu Province PRC, (PC#215200)
Tel: +86 512 63106018
+86 10 59231016
e-mail: info@ironorechina.com

GR BIKE SHANGHAI TRADING CO.
201322 Pudong new area
SHANGHAI - P.R. CHINA
Tel. +86 2160979971
Fax +86 2160979970
e-mail: roberto.vaglio@riva.com.cn

GREEN MILESTONE CO., LTD
BUILDING 19, AREA 2 of
GANLUYUAN SOUTH LANE
CHAOYANG DISTRICT - BEIJING
P.R.C.
Tel. +86 10/85755747
e-mail: labike@263.net

CZECH REPUBLIC, SLOVAKIA

CAROSSELLO S.R.O.
70200 Ostrava
CHECK REPUBLIC
Tel. +420 596 745693
Fax +420 596 745 692
e-mail: maxcursor@maxcursor.cz

FINLAND

VELOSPORT KY
Mäkeläkatu 95, 00.610 Helsinki,
Finlandia
Tel: 00358 9 7571377
e-mail: info@velosport.fi

FRANCE

FULCRUM FRANCE EURL
58640 VARENNES VAUZELLES
Tel. +33 386 577867
e-mail: infos@fulcrumwheels.fr

GERMANY

HERMANN HARTJE KG
27318 Hoya/Weser
Germany
Tel. +49 425 18110
e-mail:
hartmut.wiechmann@hartje.de

RA-CO GMBH
99198 - Kerspleben
Germany
Tel. +49 36203 61445
Fax +49 36203 50227
e-mail: christian.schreck@ra-co.de

GERMANY

JBS RADSPORT GROSSHANDEL E.H.
D-52249 Eschweiler
Germany
Tel. +49 240378360
Fax +492403783679
e-mail: kontakt@jbs-trading.de

GREEK

ACTIVE ZONE NETWORK S.A.
Varis Koropiou & Makedonias 2
166 72 Vari, Greece
Tel.: + 30 210 9612929
Fax: + 30 210 9612520
e-mail: takis.xouris@cyclist.gr

HONG KONG

IRON ORE CO. LTD
3/F, Wing Wah Industrial Building,
137-143 Yeung Uk Road,
Tuen Wan, New Territories,
Hong Kong

INDONESIA

CV. RODA LINTAS KHATULISTIWA
JL. AGUNG TIMUR II
BLOCK 04 NO. 5
JAKARTA
14350 INDONESIA

KOREA

VERY GOOD LEISURE (CELLOSPORT)
Nonhyun-dong, Gangnam-gu Seoul
Tel: +82 2 3014 4075
Fax: +82 2 3448 5482
e-mail: choj21@cellosports.com

JAPAN

KAWASHIMA CYCLE SUPPLY CO
OSAKA, 590-0007
JAPAN
Tel. +81 722 381557
Fax +81 722 386213
e-mail: info@riogrande.co.jp

NICHINAO SHOKAI CO.LTD.
101 TOKYO
Tel. +81 3 3832 6251
Fax +81 3 3832 6266
e-mail: serv1@nichinao.co.jp

SALES NETWORK

NETHERLANDS

ONEWAY DISTRIBUTION BV
Postbus 12, 3000 AA Rotterdam
Tel. 0031(0)10 340 3510
Fax 0031(0)10 340 3501
e-mail: fulcrumsales@o-w-d.nl

NEW ZEALAND

PAWSON REID VELO LTD.
O Box 19600 Avondale
Auckland 1746
NEW ZEALAND
Tel. 09 820 3512
Fax 09 820 6471
e-mail: suhag@prv.co.nz

PORTUGAL

VIEIRA GRACA & CA. LDA
Zona Industrial de Alferrarede
2200-293 Abrantes
PORTUGAL
Tel. +351 241371 766 (8)
Fax +351 241377 415
e-mail: vieira.graca.jb@gmail.com

RUSSIA

VELOSPORT
Domodedovskaya st. 28
115582 Moscow
Tel. +7 (495) 223-43-28
Tel/Fax +7 (495) 223-44-28
e-mail: sale@velosport.ru

SINGAPORE

RODALINK
7, kaki Bukit Road 1
n°3-07 Eunos Technolink
Singapore 415937
Tel. 65-67493239
Fax 65-67493531
e-mail: rodalink.sg@rodalink.com

SPAIN

CASA MASFERRER S.A.
08400 Granollers-Barcelona (E)
Tel. +34 93 8463444
Fax +34 93 8465355
cmventas@casamasmferrer.com

SWITZERLAND

GOOD PRICE GPR AG
8610 Uster
Tel. +41 44 9449393
Fax +41 44 9449394
e-mail: info@gprag.ch

SOUTH AFRICA

ASG SPORT SOLUTIONS (PTY) LTD
South Africa, 116b glen avenue, Willow Glen,
Pretoria
Email: info@asgsport.co.za
Email: orders@asgsport.co.za
Tel: +27 12 751 4130/31/32/33
Fax: +27 86 730 3099

TAIWAN

MARECHAL INTERNATIONAL CO., LTD.
No.9, Sinmin Lane, Nantun District
Taichung City 40871, Taiwan
Tel. +886-4 2479 3208
Fax +886-4 2479 3209
e-mail: asia@marechal.ca

THAILAND

PIRIYA INTERNATIONAL CO. LTD
Bangkok
Tel. +662 51 501 7980
Fax +662 51 501 02
noppadon@piriya-internation.com

UNITED KINGDOM

I-RIDE.CO.UK
7-8B Mid Sussex Bus. Park
Ditchling Common Ind. Est.
Folders Lane East, Ditchling, Sussex
BN6 8SE
Tel. 01444 243000,
Fax 01444 239215
e-mail: info@i-ride.co.uk

U.S.A.

THE HAWLEY, LLC
1181 S. Lake Drive
Lexington, SC
29073 USA
Tel. +1 803.359.3492
Fax +1 803.359.5317,
+1 800.822.1985
e-mail: sales@hawleyusa.com

SINCLAIR IMPORTS

89439 VERDI, NV
Tel. +1 800 654 8052
Fax +1 775 345 6013
ldonnell@sinclairimports.com

BTI

SANTA FE, NM 87507
Tel. +1 505.4731010
Fax +1 505.4730011
e-mail: info@bti-usa.com